



grupo lópez pardo

heat systems





Sunred Professional Smart Heater Royal Diamond Dark Wall 2500




Information

Code:	PRO25W-SMART
EAN:	8719956292224
Additional info	
Sunred Professional Smart Heater Royal Diamond Dark Wall 2500	
Settings: 9 settings - 2500 W total	
Cable cord: 1,8 m	
On/off switch: button	
Incl. WiFi connection with app (Android and iOS), remote control, timer, soft touch and wall bracket	
Heating Element:	Carbon Rose Gold Technology
Dimensions:	70 x 18 x 15,5 - 18 kg





Rose Gold Carbon Technology



1.

Element

- Infrared heating element with a short and middle wave. High quality technology with a superior element.
- Intense heating because of reflection with a layer of rose gold.
- Wind does not influence the heat.
- Very low soft light, high heat.

PROFESSIONAL

Life Expectancy

8000 H.

Heat release and intensity

Intense heat release

max. 22-26 m²

Light intensity

Ultra low glare

Radiation Range

5,8 x 4,5 meter

Approx. 26 m²

Sunred application for Android and iOS



Get the most out of your Sunred products and take full control of your outdoor heating experience with the all new Sunred app. Connect and control your wireless supported Sunred heater.




After connecting your devices you will have access to the following features:

- Remotely control your device and heat with just a simple touch;
- Monitor and control your power settings;
- Remotely control functions like timer and other settings;
- Quick device overview;
- Monitor real-time temperature information;
- Consumer and catering industry ready.



Sunred application for Android and iOS




Max. 26 m²

Square meters are based on the most ideal situation



YouTube video Sunred App

<https://youtu.be/2ssZw7qHCnc>



Sunred Heater Royal Diamond Dark Wall 2500



Information

Code: RD-DARK-25

EAN: 8719956290930

Additional info

Royal Diamond Dark 2500 W
 Settings: 800/1600/2500 Watt
 Cable cord: 1,8 m
 On/off switch: button
 Incl. remote control, soft touch and wall bracket

Heating Element: Carbon Rose Gold Technology

Dimensions: 81,7 x 10 x 14,1 cm - 2,3 kg



YouTube video

<https://youtu.be/Gzm2R7oPmh4>



1.

Element

Life Expectancy

Light Intensity

Rose Gold Carbon Technology

- Infrared heating element with a short and middle wave. High quality technology with a superior element.
- Intense heating because of reflection with a layer of rose gold.
- Wind does not influence the heat.
- Very low soft light, high heat.

PROFESSIONAL

8000 H

Ultra low glare

Heat release and intensity

Intense heat release

max. 22-26 m²

Radiation Range

5,8 x 4,5 meter

Approx. 26 m²

Sunred Heater Royal Diamond Dark Wall 2000 and 1500



Information

Code:	RD-DARK-20
EAN:	8719956290923

Additional info

Royal Diamond Dark 2000 W
Settings: 650/1300/2000 Watt
Cable cord: 1,8 m
On/off switch: button
Incl. remote control, soft touch and wall bracket

Heating Element:	Carbon Rose Gold Technology
Dimensions:	81,7 x 10 x 14,1 cm - 2,3 kg

Radiation Range

5,2 x 4,5 meter

Approx. 23 m2



Information

Code:	RD-DARK-15
EAN:	8719956290916

Additional info

Royal Diamond Dark 1500 W
Settings: 500/1000/1500 Watt
Cable cord: 1,8 m
On/off switch: button
Incl. remote control, soft touch and wall bracket

Heating Element:	Carbon Rose Gold Technology
Dimensions:	81,7 x 10 x 14,1 cm - 2,3 kg

Radiation Range

4,5 x 4,5 meter

Approx. 20 m2

YouTube video

<https://youtu.be/Gzm2R7oPmh4>



Sunred Heater Royal Diamond Dark Standing 2500



Information

Code: RD-DARK-25S

EAN: 8719956292163

Additional info

Royal Diamond Dark 2500 W
Settings: 800/1600/2500 Watt
Cable cord: 1,8 m
On/off switch: button
Incl. remote control, soft touch, safeguard tipover
and adjustable height 190-210 cm

Heating Element: Carbon Rose Gold Technology

Dimensions: 81,7 x 10 x 210 cm - 12 kg



1.

Element

Rose Gold Carbon Technology

- Infrared heating element with a short and middle wave. High quality technology with a superior element.
- Intense heating because of reflection with a layer of rose gold.
- Wind does not influence the heat.
- Very low soft light, high heat.

ROYAL DIAMOND dark

PROFESSIONAL

Life Expectancy

8000 H.

Heat release and intensity

Intense heat release

Light Intensity

Ultra low glare

max. 22-26 m²

Radiation Range

5,8 x 4,5 meter

Approx. 26 m²

Sunred Heater Royal Diamond Dark Valencia Lounge 3000



Information

Code: RD-DARK-3000L

EAN: 8719956292170

Additional info

Royal Diamond Dark Valencia Lounge 3000 W

Settings: 1500/1500/3000 Watt

Cable cord: 1,8 m

On/off switch: button

Incl. remote control, soft touch and safeguard tipover

Heating Element: Carbon Rose Gold Technology

Dimensions: 40 x 22 x 150 cm - 18 kg

YouTube video

<https://youtu.be/RVXXpGCGyus>



1.

Element

Rose Gold Carbon Technology

- Infrared heating element with a short and middle wave. High quality technology with a superior element.
- Intense heating because of reflection with a layer of rose gold.
- Wind does not influence the heat.
- Very low soft light, high heat.

Life Expectancy

3000 H

Heat release and intensity

Light Intensity

Ultra low glare

Intense heat release

max. 22-26 m²

Radiation Range

5,8 x 5 meter

Approx. 29 m²

Sunred Heater Royal Diamond Dark Vintage Hanging 2500



Information

Code: RD-DARK-VIN25H

EAN: 8719956292200

Additional info

Sunred Heater Royal Diamond Dark Vintage Hanging 2500

Settings: 1250/2500 Watt

Cable cord: 1,8 m

On/off switch: button

Incl. remote control and chain

Heating Element: Carbon Rose Gold Technology

Dimensions: 70 x 18 x 15,5 - 4,5 kg

Rose Gold Carbon Technology

1.

Element

- Infrared heating element with a short and middle wave. High quality technology with a superior element.
- Intense heating because of reflection with a layer of rose gold.
- Wind does not influence the heat.
- Very low soft light, high heat.

PROFESSIONAL

Life Expectancy

8000 H.

Heat release and intensity

Intense heat release

Light Intensity

Ultra low glare

max. 22-26 m²

Radiation Range

5,8 x 4,5 meter

Approx. 26 m²

Sunred Heater Royal Diamond Dark Vintage Wall 2500



Information

Code: RD-DARK-VIN25W

EAN: 8719956292552

Additional info

Sunred Heater Royal Diamond Dark Vintage Wall 2500

Settings: 1250/2500 Watt

Cable cord: 1,8 m

On/off switch: button

Incl. remote control and wall bracket

Heating Element: Carbon Rose Gold Technology

Dimensions: 70 x 18 x 15,5 - 4,5 kg

Rose Gold Carbon Technology

- Infrared heating element with a short and middle wave. High quality technology with a superior element.
- Intense heating because of reflection with a layer of rose gold.
- Wind does not influence the heat.
- Very low soft light, high heat.

1.

Element

PROFESSIONAL

Life Expectancy

8000 H.

Heat release and intensity

Intense heat release

Light Intensity

Ultra low glare

max. 22-26 m²

Radiation Range

5,8 x 4,5 meter

Approx. 26 m²

Sunred Heater Royal Diamond Dark Vintage Standing 2500



Information

Code:	RD-DARK-VIN25S
EAN:	8719956292217
Additional info	
Sunred Heater Royal Diamond Dark Vintage 2500 Settings: 1250/2500 Watt Cable cord: 1,8 m On/off switch: button Incl. remote control	
Heating Element:	Carbon Rose Gold Technology
Dimensions:	198 x 70 x 46,5 - 18 kg

Rose Gold Carbon Technology

1.

Element

- Infrared heating element with a short and middle wave. High quality technology with a superior element.
- Intense heating because of reflection with a layer of rose gold.
- Wind does not influence the heat.
- Very low soft light, high heat.

PROFESSIONAL

Life Expectancy

8000 H.

Heat release and intensity

Intense heat release

Light Intensity

Ultra low glare


max. 22-26 m²

Radiation Range

5,8 x 4,5 meter

Approx. 26 m²

Sunred Heater Sunset Wave Wall 2000



Rose Gold Technology

- Infrared extreme short wave heating element.
- Halogen heating element with a layer of gold.
- Intense heating because of reflection.
- Gives orange light because of the reflection.
- Soft light, high heat.

ROYAL DIAMOND

2.

Element

PREMIUM

Life Expectancy

8000 h

Heat release and intensity

Strong heat release

max. 15-25 m²

Light Intensity

Low glare

Radiation Range
 5,5 x 4 meter
 Approx. 22 m²

Information

Code:	WAVE-W
EAN:	8719956293139
Additional info	
Sunred Heater Sunset Wave Wall 2000 Settings: 2000 Watt 304 Stainless Steel - No direct view into the heater lamp! Cable cord: 1,8 m - IP65 On/off switch: button Incl. remote control and timer function	
Heating Element:	Rose Gold Technology
Dimensions:	32 x 60 x 13,5 cm - 4,1 kg



Option - Ceiling twin bracket

Sunred Heater Sunset Wave Standing 2000



Rose Gold Technology

ROYAL DIAMOND

2.

Element

- Infrared extreme short wave heating element.
- Halogen heating element with a layer of gold.
- Intense heating because of reflection.
- Gives orange light because of the reflection.
- Soft light, high heat.

Life Expectancy

8000 H

Heat release and intensity

Strong heat release

Light Intensity

Low glare

max. 15-25 m²

Information

Code: WAVE-S

EAN: 8719956293122

Additional info

Sunred Heater Sunset Wave Standing 2000
 Settings: 2000 Watt
 304 Stainless Steel - No direct view into the heater lamp!
 Cable cord: 1,8 m - IP65
 On/off switch: button
 Incl. remote control and timer function

Heating Element: Rose Gold Technology

Dimensions: 40 x 60 x 210 cm - 20 kg



Radiation Range

5,5 x 4 meter

Approx. 22 m²

Sunred Heater Royal Diamond Silver Wall 1500 Pro



Information

CONTAINER ONLY

Code: RDS-15W-PRO

EAN: 8719956292316

Additional info

Royal Diamond Silver Line wall heater
 Rose Gold 1500 Watt
 Cable cord: 1,8 m
 On/off switch: button
 Incl. remote control, **9 power settings** and wall bracket

Heating Element: Rose Gold Technology

Dimensions: 54,7 x 12,7 x 9 cm 1,45 kg



Rose Gold Technology

ROYAL DIAMOND

2.

Element

- Infrared extreme short wave heating element.
- Halogen heating element with a layer of gold.
- Intense heating because of reflection.
- Gives orange light because of the reflection.
- Soft light, high heat.

PREMIUM

 Life Expectancy	8000 h	 Heat release and intensity	 Strong heat release
 Light Intensity	 Low glare	 max. 16-28 m ²	

Radiation Range

4 x 4 meter

Approx. 16 m²

Sunred Heater Royal Diamond Silver Wall 2000



Information

Code:	RD-SILVER-2000W
EAN:	8717568089188
Additional info	
Royal Diamond Silver Line wall heater Rose Gold 2000 Watt Cable cord: 1,8 m On/off switch: button Incl. remote control and wall bracket	
Heating Element:	Rose Gold Technology
Dimensions:	58,5 x 12 x 12 cm- 1,8 kg

Rose Gold Technology

- Infrared extreme short wave heating element.
- Halogen heating element with a layer of gold.
- Intense heating because of reflection.
- Gives orange light because of the reflection.
- Soft light, high heat.

2. Element

PREMIUM

Life Expectancy: 8000 H

Light Intensity: Low glare

Heat release and intensity: max. 16-28 m²

YouTube video

<https://youtu.be/FbOv1uCVfh4>



Radiation Range

5,5 x 4 meter

Approx. 22 m²

Sunred Heater Royal Diamond Silver Wall/Hanging 3000



Information	
Code:	RD-SILVER-3000H
EAN:	8718801851081
Additional info	
Royal Diamond Silver Line hanging heater Rose Gold 3000 Watt Settings: 1500/3000 Watt Cable cord: 1,8 m On/off switch: button Incl. remote control and wall bracket and ceiling chains	
Heating Element:	Rose Gold Technology
Dimensions:	110 x 17,7 x 18,1 cm - 5,5 kg

Rose Gold Technology

2.

Element

- Infrared extreme short wave heating element.
- Halogen heating element with a layer of gold.
- Intense heating because of reflection.
- Gives orange light because of the reflection.
- Soft light, high heat.

Life Expectancy

8000 h

Light Intensity

Low glare

PREMIUM

Strong heat release

Heat release and intensity

max. 16-28 m²

Radiation Range
4,7 x 6 meter
Approx. 28 m2

Sunred Heater Royal Diamond Silver Standing 2000



YouTube video

<https://youtu.be/FbOV1uCVfh4>



Information

Code:	RD-SILVER-2000S
EAN:	8719956291074
Additional info	
Royal Diamond Silver Line standing heater Rose Gold 2000 Watt Cable cord: 1,8 m On/off switch: button Incl. remote control and safeguard tipover	
Heating Element:	Rose Gold Technology
Dimensions:	59,7 x 40 x 190 cm- 10 kg

Rose Gold Technology

- Infrared extreme short wave heating element.
- Halogen heating element with a layer of gold.
- Intense heating because of reflection.
- Gives orange light because of the reflection.
- Soft light, high heat.

2.

Element

Life Expectancy

8000 H

Heat release and intensity

Strong heat release

Light Intensity

Low glare

PREMIUM

max. 15-25 m²

Radiation Range

5,5 x 4 meter

Approx. 22 m²

Sunred Universal Bracket / Parasol mount Silver



Information

Code: UPM-SILVER

EAN: 8719956292576


Additional info

Sunred Universal Bracket / Parasol mount Silver


Suitable for: Royal Diamond Silver series:

- RD-SILVER-2000W
- RD-SILVER-3000H
- RDS-15W-PRO
- VIG-1500W

Dimensions: 18 x 4,5 x 5,5 - 0,5 kg



Sunred Heater Royal Diamond Dark Hanging 2500



Information

Code: RD-DARK-2500H

EAN:

Additional info

Royal Diamond Dark Line hanging heater
Rose Gold 2500 Watt
Settings: 1250/2500 Watt
Cable cord: 1,8 m
Including remote control
Incl. remote control and ceiling chains

Heating Element: Rose Gold Technology

Dimensions: 110 x 17,7 x 18,1 cm - 5,5 kg



Rose Gold Carbon Technology

- Infrared heating element with a short and middle wave. High quality technology with a superior element.
- Intense heating because of reflection with a layer of rose gold.
- Wind does not influence the heat.
- Very low soft light, high heat.

1.

Element

PROFESSIONAL

Life Expectancy

8000 H.

Heat release and intensity

Intense heat release

max. 22-26 m²

Light Intensity

Ultra low glare

Radiation Range

4,7 x 6 meter

Approx. 28 m²

Sunred Ultra Fortuna Wall 1500 Black



Information

Code: RDS-15W-B

EAN: 8719956293030

Additional info

Sunred Fortuna Wall 1500 Black
 Rose Gold 1500 Watt (500/1000/1500 Watt)
 Cable cord: 1,8 m
 On/off switch: button
 Incl. remote control, **3 power settings** and wall bracket

Heating Element: Rose Gold Technology

Dimensions: 53 x 12,7 x 8 cm 1,3 kg



Rose Gold Technology

ROYAL DIAMOND

2.

Element

- Infrared extreme short wave heating element.
- Halogen heating element with a layer of gold.
- Intense heating because of reflection.
- Gives orange light because of the reflection.
- Soft light, high heat.

PREMIUM

Life Expectancy

8000 h

Heat release and intensity

Strong heat release

max. 16-28 m²

Light Intensity

Low glare

Radiation Range

4 x 4 meter

Approx. 16 m²

Sunred Heater Artix Corda Hanging 1800



Information

Code: ARTIX M-HO BROWN

EAN: 8719956290794

Additional info

Artix Hanging heater
Halogen 1800 Watt
Settings: 800/1000/1800 Watt
Cable cord: 1,8 m
On/off switch: button
Incl. soft touch technology, LED light, remote control, chain and Olefin head

Heating Element: Halogen Technology

Dimensions: 30 x 60 cm dia - 4 kg



	Halogen Technology	
3.	<ul style="list-style-type: none"> • Infrared short wave heating element. • Halogen ensures that the person is heated, not the surrounding. • The body is heated from inside out. • Wind does not influence the heat. 	
	Element	HIGH-END
	Life Expectancy	8000 H
	Light Intensity	Bright light
	Heat release and intensity	max. 16-25 m ²

Radiation Range

4,4 x 4,4 meter

Approx. 19 m²

Sunred Heater Artix Corda Standing 2100



Information

Code: ARTIX M-SO BROWN

EAN: 8719956290787

Additional info

Artix Standing heater
 Halogen 2100 Watt
 Settings: 900/1200/2100 Watt
 With OLEFIN head
 Cable cord: 1,8 m
 On/off switch: button
 Incl. safeguard tipover and Olefin Head

Heating Element: Halogen Technology

Dimensions: 213 x 60 cm dia - 16 kg

Halogen Technology

3.

Element

- Infrared short wave heating element.
- Halogen ensures that the person is heated, not the surrounding.
- The body is heated from inside out.
- Wind does not influence the heat.

HIGH-END

Life Expectancy: 8000 H

Light Intensity: Bright light

Heat release and intensity: max. 16-25 m²

WHD heat release

Radiation Range

4,7 x 4,7 meter

Approx. 22 m²

Sunred Heater Artix Hanging Black 1500



Information

Code:	ARTIX C-HB
EAN:	8718801857656
Additional info	
Artix Compact Hanging heater Halogen 1500 Watt Settings: 600/900/1500 Watt Cable cord: 1,8 m On/off switch: button Incl. soft touch technology, LED light, remote control and chain	
Heating Element:	Halogen Technology
Dimensions:	30 x 50 cm dia - 3 kg



Halogen Technology

3.

- Infrared short wave heating element.
- Halogen ensures that the person is heated, not the surrounding.
- The body is heated from inside out.
- Wind does not influence the heat.

Element

Life Expectancy: 8000 H

Light Intensity: Bright light

Heat release and intensity: HIGH-END

WHD heat release: max. 15-25 m²

Radiation Range

3,9 x 3,9 meter

Approx. 15 m²

Sunred Heater Artix Standing Black 1500



Information

Code: ARTIX C SB

EAN: 8718801857670

Additional info

Artix Standing heater
Halogen 1500 Watt
Cable cord: 1,8 m
On/off switch: button
Incl. safeguard tipover

Heating Element: Halogen Technology

Dimensions: 195 x 50 cm dia - 12 kg



	Halogen Technology	
3.	<ul style="list-style-type: none"> • Infrared short wave heating element. • Halogen ensures that the person is heated, not the surrounding. • The body is heated from inside out. • Wind does not influence the heat. 	
	Element	HIGH-END
	Life Expectancy	8000 H
	Light Intensity	Bright light
	Heat release and intensity	<p>max. 16-25 m²</p>

Radiation Range

3,9 x 3,9 meter

Approx. 15 m²

Sunred Heater Artix Hanging Black 1800



Information

Code:	ARTIX HB
EAN:	8718801852590
Additional info	
Artix Hanging heater Halogen 1800 Watt Settings: 800/1000/1800 Watt Cable cord: 1,8 m On/off switch: button Incl. chain, remote control, soft touch and 3-Watt LED light	
Heating Element:	Halogen Technology
Dimensions:	32 x 74 cm dia - 5 kg

Halogen Technology

3.

- Infrared short wave heating element.
- Halogen ensures that the person is heated, not the surrounding.
- The body is heated from inside out.
- Wind does not influence the heat.

Element

HIGH-END

Life Expectancy: 8000 H

Light Intensity: Bright light

Heat release and intensity: max. 16-25 m²

Wide heat release

Radiation Range

4,4 x 4,4 meter

Approx. 19 m²

Sunred Heater Artix Standing Black 2100



Information

Code: ARTIX SB BASIC

EAN: 8718801853092

Additional info

Artix Standing heater
 Halogen 2100 Watt
 Settings: 900/1200/2100 Watt
 Cable cord: 1,8 m
 On/off switch: button
 Incl. safeguard tipover

Heating Element: Halogen Technology

Dimensions: 224 x 74 cm dia - 16 kg



Halogen Technology

3.

- Infrared short wave heating element.
- Halogen ensures that the person is heated, not the surrounding.
- The body is heated from inside out.
- Wind does not influence the heat.

Element

HIGH-END

<p>Life Expectancy</p>	8000 h	<p>Heat release and intensity</p>	<p>Wide heat release</p>
<p>Light Intensity</p>	<p>Bright light</p>		<p>max. 16-25 m²</p>

Radiation Range

4,7 x 4,7 meter

Approx. 22 m²

Sunred Heater Artix White



Sunred Heater Artix Hanging White 1500

Code:	ARTIX C-HW
EAN:	8718801857649

Additional info

Artix Compact Hanging heater
 Halogen 1500 Watt
 Settings: 600/900/1500 Watt
 Cable cord: 1,8 m
 On/off switch: button
 Incl. soft touch technology, LED light, remote control and chain

Heating Element:	Halogen Technology
Dimensions:	30 x 50 cm dia - 3 kg

Radiation Range

3,9 x 3,9 meter
 Approx. 15 m²



Sunred Heater Artix Hanging White 1800

Code:	ARTIX HW
EAN:	8718801852583

Additional info

Artix Hanging heater
 Halogen 1800 Watt
 Settings: 800/1000/1800 Watt
 Cable cord: 1,8 m
 On/off switch: button
 Incl. chain, remote control, soft touch and 3-Watt LED light

Heating Element:	Halogen Technology
Dimensions:	32 x 74 cm dia - 5 kg

Radiation Range

4,4 x 4,4 meter
 Approx. 19 m²



Sunred Heater Artix Standing White 2100

Code:	ARTIX SW BASIC
EAN:	8718801853092

Additional info

Artix Standing heater
 Halogen 2100 Watt
 Settings: 900/1200/2100 Watt
 Cable cord: 1,8 m
 On/off switch: button
 Incl. safeguard tipover

Heating Element:	Halogen Technology
Dimensions:	224 x 74 cm dia - 16 kg

Radiation Range

4,7 x 4,7 meter
 Approx. 22 m²

Sunred Heater Indus Hanging 2100



Halogen Technology

3.
Element

- Infrared short wave heating element.
- Halogen ensures that the person is heated, not the surrounding.
- The body is heated from inside out.
- Wind does not influence the heat.

HIGH-END

Life Expectancy: 8000 H

Light Intensity: Bright light

Heat release and intensity: Max. 16-25 m²

Wid heat release

Information

Code:	RSH16
EAN:	8718801855553
Additional info	
Indus Hanging heater Halogen 2100 Watt Cable cord: 1,8 m On/off switch: pull cord Incl. chain	
Heating Element:	Halogen Technology
Dimensions:	36 x 36 cm dia - 2,3 kg



Radiation Range

4,7 x 4,7 meter

Approx. 22 m²

Sunred Heater Indus II Hanging 2100



Halogen Technology

- Infrared short wave heating element.
- Halogen ensures that the person is heated, not the surrounding.
- The body is heated from inside out.
- Wind does not influence the heat.

3.

Element

HIGH-END

Life Expectancy

8000 h

Heat release and intensity

Wide heat release

max. 16-25 m²

Light Intensity

Bright light

Information

Code:	IND-2100H
EAN:	8719956291456
Additional info	
Indus Hanging heater Halogen 2100 Watt Settings: 900/1200/2100 Watt Cable cord: 1,8 m On/off switch: switch Incl. remote and touch button	
Heating Element:	Halogen Technology
Dimensions:	36 x 43 cm dia

Radiation Range

4,7 x 4,7 meter

Approx. 22 m²

Sunred Heater Indus Standing 2100



Information

Code: RSS19

EAN: 8718801859247

Additional info

Indus Standing heater
 Halogen 2100 Watt
 Settings: 900/1200/2100 Watt
 Cable cord: 1,8 m
 On/off switch: switch
 Incl. safeguard tipover

Heating Element: Halogen Technology

Dimensions: 210 x 45,5 cm dia - 16,6 kg



Halogen Technology

- Infrared short wave heating element.
- Halogen ensures that the person is heated, not the surrounding.
- The body is heated from inside out.
- Wind does not influence the heat.

3. Element

Life Expectancy: 8000 H

Light Intensity: Bright light

Heat release and intensity: HIGH-END

WHD heat release: max. 16-25 m²

Radiation Range

4,7 x 4,7 meter

Approx. 22 m²

Sunred Heater Indus Standing 2100 WHITE



Halogen Technology

3.

Element

- Infrared short wave heating element.
- Halogen ensures that the person is heated, not the surrounding.
- The body is heated from inside out.
- Wind does not influence the heat.

HIGH-END

Life Expectancy

8000 H

Heat release and intensity

WHD heat release

max. 16-25 m²

Light Intensity

Bright light

Information

Code: RSS19W

EAN: 8719956296055

Additional info

Indus Standing heater
Halogen 2100 Watt
Settings: 900/1200/2100 Watt
Cable cord: 1,8 m
On/off switch: switch
Incl. safeguard tipover

Heating Element: Halogen Technology

Dimensions: 210 x 45,5 cm dia - 16,6 kg

Radiation Range

4,7 x 4,7 meter

Approx. 22 m²

Sunred Heater Indus Hanging Double 3000



Information

Code:	IHD-3000H
EAN:	8719956293207
Additional info	
Sunred Heater Indus II Hanging Halogen 3000 Watt Settings: 1500/1500/3000 Watt Cable cord: 1,8 m On/off switch: switch Incl. Remote control and chain	
Heating Element:	Halogen Technology
Dimensions:	132 x 42,5 x 34,5 cm - 10 kg



Halogen Technology

- Infrared short wave heating element.
- Halogen ensures that the person is heated, not the surrounding.
- The body is heated from inside out.
- Wind does not influence the heat.

3.

Element

HIGH-END

Life Expectancy

8000 h

Light Intensity

Bright light

Heat release and intensity

max. 16-25 m²

Radiation Range

3,9 x 6,5 meter
Approx. 25 m²

Sunred Heater Retro Hanging 2100



Information

Code:	RSH17
EAN:	8718801857229
Additional info	
Retro Sphere Hanging heater Halogen 2100 Watt Settings: 900/1200/2100 Watt Cable cord: 1,8 m On/off switch: button Incl. chain, remote control and Soft Touch Technology	
Heating Element:	Halogen Technology
Dimensions:	31 x 47,5 cm dia - 3,5 kg



Halogen Technology

- Infrared short wave heating element.
- Halogen ensures that the person is heated, not the surrounding.
- The body is heated from inside out.
- Wind does not influence the heat.

3.

Element

HIGH-END

Life Expectancy

8000 H

Heat release and intensity

max. 16-25 m²

Light Intensity

Bright light

Mid heat release

Radiation Range

4,7 x 4,7 meter

Approx. 22 m²

Sunred Heater Retro Wall 2100



Information

Code:	RSW18
EAN:	8718801859537
Additional info	
Retro Sphere Wall heater Halogen 2100 Watt Settings: 900/1200/2100 Watt Cable cord: 1,8 m On/off switch: switch	
Heating Element:	Halogen Technology
Dimensions:	47,5 x 47,5 x 130 cm - 5,4 kg

Halogen Technology

- Infrared short wave heating element.
- Halogen ensures that the person is heated, not the surrounding.
- The body is heated from inside out.
- Wind does not influence the heat.

3. Element

HIGH-END

Life Expectancy: 8000 H

Light Intensity: Bright light

Heat release and intensity: max. 16-25 m²

WHD heat release

Radiation Range

4,7 x 4,7 meter

Approx. 22 m²

Sunred Heater Retro Standing 2100



Information

Code:	RSS16
EAN:	8718801854372
Additional info	
Retro Sphere standing heater Halogen 2100 Watt Settings: 900/1200/2100 Watt Cable cord: 1,8 m On/off switch: switch	
Heating Element:	Halogen Technology
Dimensions:	47,5 x 47,5 x 210 cm - 14,5kg



Halogen Technology

- Infrared short wave heating element.
- Halogen ensures that the person is heated, not the surrounding.
- The body is heated from inside out.
- Wind does not influence the heat.

3.

Element

HIGH-END

Life Expectancy

8000 h

Heat release and intensity

Max heat release

max. 16-25 m²

Light Intensity

Bright light

Radiation Range

4,7 x 4,7 meter

Approx. 22 m²

Sunred Heater Indus Standing 2100



Information	
Code:	IND-2100S
EAN:	
Additional info	
Indus standing heater Halogen 2100 Watt Settings: 900/1200/2100 Watt Cable cord: 1,8 m On/off switch: switch	
Heating Element:	Halogen Technology
Dimensions:	44 x 44 x 210 cm - 14,5kg

Halogen Technology

- Infrared short wave heating element.
- Halogen ensures that the person is heated, not the surrounding.
- The body is heated from inside out.
- Wind does not influence the heat.

<p>3.</p> <p>Element</p>	<p>HIGH-END</p>
<p>Life Expectancy</p>	<p>8000 H</p>
<p>Light Intensity</p>	<p>Bright light</p>

<p>Heat release and intensity</p>	<p>Wind heat release</p>
<p>max. 16-25 m²</p>	

Radiation Range
4,7 x 4,7 meter
Approx. 22 m ²

Sunred Heater Royal Diamond Silver Wall 2000



Information

Code: SOUND-2000W

EAN: 8718801857212

Additional info

Sun and Sound hanging heater
Rose Gold 2000 Watt
Cable cord: 1,8 m
On/off switch: button
Incl. remote control, Bluetooth speaker and soft touch technology

Heating Element: Rose Gold Technology

Dimensions: 91,6 x 16,3 x 18 cm - 4,2 kg



Rose Gold Technology

- Infrared extreme short wave heating element.
- Halogen heating element with a layer of gold.
- Intense heating because of reflection.
- Gives orange light because of the reflection.
- Soft light, high heat.

2.

Element

PREMIUM

Life Expectancy

8000 H

Strong heat release

Light Intensity

Low glare

Heat release and intensity

max. 16-28 m²

Radiation Range

5,5 x 4 meter

Approx. 22 m²

Sunred Heater Bull Bar



Information

Code:	TH17B
EAN:	8718801855010
Additional info	
Bar Table Heater. Table diameter 60cm Height 110cm. Stainless Steel Table. With steel bar stand Rose Gold 1500 Watt Cable cord: 1,8 m On/off switch: button	
Heating Element:	Rose Gold Technology
Dimensions:	110 x 60 cm - 18 kg

Rose Gold Technology

2.

Element

- Infrared extreme short wave heating element.
- Halogen heating element with a layer of gold.
- Intense heating because of reflection.
- Gives orange light because of the reflection.
- Soft light, high heat.

PREMIUM

Strong heat release

max. 16-28 m²

Life Expectancy

8000 H

Heat release and intensity

Light Intensity

Low glare

Radiation Range

4 x 4 meter

Approx. 16 m²

Sunred Heater Indox



Rose Gold Carbon Technology

- Infrared heating element with a short and middle wave. High quality technology with a superior element.
- Intense heating because of reflection with a layer of rose gold.
- Wind does not influence the heat.
- Very low soft light, high heat.

1. Element

PROFESSIONAL

Life Expectancy 3000 H.

Light Intensity Ultra low glare

Heat release and intensity Intense heat release

max. 22-26 m²

Information

Code: INDOX60

EAN:

Additional info

Design Heater StyliX. 1200 Watt.
2 setting: 600 - 1200 Watt.
Oscillating function. With timer.

Heating Element: Carbon Fibre Technology

Dimensions: 60 x 29 cm




Radiation Range

4 x 4 meter

Approx. 16 m²

Sunred Heater SfyX



Information	
Code:	SFYX78 / SFYX89 / SFYX103
EAN:	
Additional info	
Design Heater Sfyx. Stylish with handle. 360 degree heat. Safe touch technology. With touch control	
Heating Element:	Carbon fibre Technology
Dimensions:	78 / 89 / 103 cm high

1.

Element

Life Expectancy: 8000 H

Light Intensity: Ultra low glare

Rose Gold Carbon Technology

- Infrared heating element with a short and middle wave. High quality technology with a superior element.
- Intense heating because of reflection with a layer of rose gold.
- Wind does not influence the heat.
- Very low soft light, high heat.

PROFESSIONAL



Heat release and intensity

Intense heat release

max. 22-26 m²

Radiation Range
4 x 4 meter
Approx. 16 m2

Sunred Heater Surround



- POWER SETTING
1500 WATT
- CARBON FIBRE
- TIP OVER SWITCH
- USB CHARGING PORT
- RGB LED
- SAFE TOUCH TECHNOLOGY
- 360° HEAT
- BLUETOOTH SPEAKER
- IP 55

Information	
Code:	SUR21
EAN:	
Additional info	
Heater Surround. Bluetooth connection for music. USB charging ports. Safe touch technology. 360 degrees heat. RGB Led light.	
Heating Element:	Carbon Fibre Technology
Dimensions:	135 x 14 cm / 180 x 14 cm

1.

Element

Life Expectancy

Light Intensity

Rose Gold Carbon Technology

- Infrared heating element with a short and middle wave. High quality technology with a superior element.
- Intense heating because of reflection with a layer of rose gold.
- Wind does not influence the heat.
- Very low soft light, high heat.

PROFESSIONAL

8000 H

Ultra low glare

Heat release and intensity


max. 22-26 m²

Radiation Range
4 x 4 meter
Approx. 16 m ²

Sunred Professional Smart Heater Standing 2100 **WiFi**



WiFi signal module inside



Information

Code: PRO21S-SMART

EAN:

Additional info

Sunred Professional Smart Heater Royal Standing
 Settings: 3 settings - 2100 W total
 Cable cord: 1,8 m
 Height adjustable 193 - 225 cm.
 Incl. WiFi connection with app (Android and iOS),
 remote control and soft touch.

Heating Element: Halogen Technology

Dimensions: 225 x 29 cm

Halogen Technology

- Infrared short wave heating element.
- Halogen ensures that the person is heated, not the surrounding.
- The body is heated from inside out.
- Wind does not influence the heat.

3. Element

HIGH-END

Life Expectancy: 8000 H

Light Intensity: Bright light

Heat release and intensity: max. 16-25 m²


Radiation Range

5,8 x 4,5 meter

Approx. 26 m²



Sunred Heater Voix



Information

Code:	TH17B
EAN:	8718801855010
Additional info	
Heater Voix. Voice controlled. 3 settings: 900 - 1200 - 2100 Watt Height adjustable 193 - 225 cm. Touch control panel	
Heating Element:	Halogen Technology
Dimensions:	225 x 29 cm





Halogen Technology



3.

Element

- Infrared short wave heating element.
- Halogen ensures that the person is heated, not the surrounding.
- The body is heated from inside out.
- Wind does not influence the heat.

Life Expectancy

8000 h

HIGH-END

Mid heat release

max. 16-25 m²

Light Intensity

Bright light

Heat release and intensity

max. 16-25 m²

Radiation Range

4 x 4 meter

Approx. 16 m²

Sunred Heater Nero Wall / Hanging 2400



Information

Code:	NER-2400
EAN:	8719956290626
Additional info	
Nero Black heat wall/hanging heater Black heat 1200/2400 Watt Cable cord: 1,8 m On/off switch: button Incl. remote control, timer function, wall bracket and ceiling mount	
Heating Element:	Black Heat Technology
Dimensions:	109 x 23 x 4,5 cm - 6,2 kg

Black Heat Technology

4.

Element

- Infrared long wave heating element.
- Surrounding is heated.
- Wind influences the heat.
- Heat can be compared with central heating.

PREMIUM

Life Expectancy

8000 h

Heat release and intensity

Comfortable heat release

max. 21 m²

Light Intensity

No light

Radiation Range

5,3 x 4 meter

Approx. 21 m²

Sunred Heater Parasol 2000



Information

Code:	PH10
EAN:	8717568087054
Additional info	
Parasol 2000 heater Halogen 2000 W Settings: 650/1300/2000 Watt Cable cord: 1,8 m On/off switch: button Foldable	
Heating Element:	Halogen Technology
Dimensions:	100 x 100 x 8,5 cm - 3,6 kg

Halogen Technology

- Infrared short wave heating element.
- Halogen ensures that the person is heated, not the surrounding.
- The body is heated from inside out.
- Wind does not influence the heat.

3. Element

HIGH-END

Life Expectancy: 8000 H

Light Intensity: Bright light

Heat release and intensity: max. 16-25 m²

Wind heat release: max. 16-25 m²

Radiation Range

4,6 x 4,6 meter

Approx. 21 m²

Sunred Heater Parasol 2000



METAL HANDLE



Halogen Technology

3.

element

- Infrared short wave heating element.
- Halogen ensures that the outdoor is heated, not the surrounding.
- The body is located from inside out.
- Wind does not influence the heat.

Life Expectancy

BRIGHT LIGHT

Bright light

Heat release and intensity

HIGH-END

MAX heat release

max. 10-25 m²

Information

Code: PH21

EAN:

Additional info

Parasol 2000 heater
 Halogen 2000 W Settings: 1000/2000 Watt
 Cable cord: 1,8 m On/off switch: button
 Safe touch technology
 Adapt to poles from 25 - 70 mm

Heating Element: Halogen Technology

Dimensions: 100 x 100 x 8,5 cm - 3,6 kg

Radiation Range

4,6 x 4,6 meter

Approx. 21 m²

Sunred Vigo Wall 1500 W Rose Golden Tube



Information

Code:	VIG-1500W
EAN:	8718801859179

Additional info

Vigo wall heater
 Golden Tube 1500 Watt
 Settings: 1500 Watt
 Cable cord: 1,8 m
 On/off switch: pull cord
 Incl. wall bracket

Heating Element:	Rose Gold Technology
Dimensions:	45 x 15 x 10 cm - 1,5 kg



Rose Gold Technology

2.

Element

- Infrared extreme short wave heating element.
- Halogen heating element with a layer of gold.
- Intense heating because of reflection.
- Gives orange light because of the reflection.
- Soft light, high heat.

Life Expectancy

8000 H

Heat release and intensity

Strong heat release

Light Intensity

Low glare

PREMIUM

max. 16-28 m²

Radiation Range

4 x 4 meter

Approx. 16 m²

Sunred Heater Spica Square Hanging 2000



Information

Code:	CE17SQ-B
EAN:	8718801855461
Additional info	
Spica Square Hanging heater Halogen 2000 Watt Settings: 1000/2000 Watt Cable cord: 1,8 m On/off switch: button Incl. chain, remote control and LED light	
Heating Element:	Halogen Technology
Dimensions:	43 x 43 x 26,5 cm - 3,5 kg



Halogen Technology

3.

- Infrared short wave heating element.
- Halogen ensures that the person is heated, not the surrounding.
- The body is heated from inside out.
- Wind does not influence the heat.

Element

HIGH-END

Life Expectancy

8000 H

Heat release and intensity

Light Intensity

Bright light

Wind heat release

max. 16-25 m²

Radiation Range

4,6 x 4,6 meter

Approx. 21 m²

Sunred Heater Sirius Hanging Silver 2100



		Halogen Technology 	
3.  Element		<ul style="list-style-type: none"> • Infrared short wave heating element. • Halogen ensures that the person is heated, not the surrounding. • The body is heated from inside out. • Wind does not influence the heat. 	
		HIGH-END	
 Life Expectancy	8000 H	 Heat release and intensity	 Mid heat release
 Light Intensity	 Bright light		 max. 16-25 m ²

Radiation Range

4,7 x 4,7 meter

Approx. 22 m²

Information

Code: CE09B

EAN: 8717568082714

Additional info

Sirius Hanging heater
 Halogen 2100 Watt
 Settings: 900/1200/2100 Watt
 Cable cord: 1,8 m
 On/off switch: button
 Incl. chain

Heating Element: Halogen Technology

Dimensions: 35 x 58,5 cm dia - 2,9 kg

Sunred Heater Sirius Hanging Black 2100



Information

Code:	CE09B
EAN:	8718801854853
Additional info	
Sunred Heater Sirius Hanging Black 2100 Settings: 900/1200/2100 Watt Cable cord: 1,8 m On/off switch: button Incl. chain, remote control, 3-Watt LED light and Soft Touch Technology	
Heating Element:	Halogen Technology
Dimensions:	35 x 58,5 cm dia - 3,5 kg



Halogen Technology

3.

Element

- Infrared short wave heating element.
- Halogen ensures that the person is heated, not the surrounding.
- The body is heated from inside out.
- Wind does not influence the heat.

Life Expectancy

8000 H

Light Intensity

Bright light

Heat release and intensity

max. 16-25 m²

HIGH-END

Wide heat release

Radiation Range

4,7 x 4,7 meter

Approx. 22 m²

Sunred Heater Sirius Standing 2100



Information

Code:	GS20-AD
EAN:	8719956293214
Additional info	
Sirius Standing heater - Adjustable Head Halogen 2100 W Cable cord: 1,8 m On/off switch: button Incl. safeguard tipover	
Heating Element:	Halogen Technology
Dimensions:	207 x 58,5 cm dia - 13,7 kg

Halogen Technology

- Infrared short wave heating element.
- Halogen ensures that the person is heated, not the surrounding.
- The body is heated from inside out.
- Wind does not influence the heat.

3. Element

HIGH-END

Life Expectancy 8000 H

Light Intensity Bright light

Heat release and intensity

WHD heat release

max. 16-25 m²

Radiation Range

4,7 x 4,7 meter

Approx. 22 m²

Sunred Heater Sirius Standing 2100



Information

Code:	GS15
EAN:	8718801851111
Additional info	
Sirius Standing heater Halogen 2100 W Cable cord: 1,8 m On/off switch: button Incl. safeguard tipover	
Heating Element:	Halogen Technology
Dimensions:	205 x 58,5 cm dia - 10,1 kg



Halogen Technology

- Infrared short wave heating element.
- Halogen ensures that the person is heated, not the surrounding.
- The body is heated from inside out.
- Wind does not influence the heat.

3.

Element

HIGH-END

Life Expectancy

8000 H

Heat release and intensity

max. 16-25 m²

Light Intensity

Bright light

Radiation Range

4,7 x 4,7 meter

Approx. 22 m²

Sunred Heater Gemma Hanging Silver 1500



Information

Code:	CE11
EAN:	8717568087061
Additional info	
Gemma Hanging heater Halogen 1500 Watt Cable cord: 1,8 m On/off switch: pull cord Incl. chain	
Heating Element:	Halogen Technology
Dimensions:	31 x 42,5 cm dia - 1,8 kg



Halogen Technology

- Infrared short wave heating element.
- Halogen ensures that the person is heated, not the surrounding.
- The body is heated from inside out.
- Wind does not influence the heat.

3.

Element

HIGH-END

Life Expectancy: 8000 H

Light Intensity: Bright light

Heat release and intensity

Wind heat release

max. 16-25 m²

Radiation Range

3,9 x 3,9 meter

Approx. 15 m²

Sunred Heater Gemma Hanging Grey 1500



Information

Code:	CE11G
EAN:	8717568088631
Additional info	
Gemma Hanging heater Halogen 1500 Watt Cable cord: 1,8 m On/off switch: pull cord Incl. chain	
Heating Element:	Halogen Technology
Dimensions:	31 x 42,5 cm dia - 2,5 kg

Halogen Technology

3.

Element

- Infrared short wave heating element.
- Halogen ensures that the person is heated, not the surrounding.
- The body is heated from inside out.
- Wind does not influence the heat.

HIGH-END

Life Expectancy

8000 h

Light Intensity

Bright light

Heat release and intensity

WHD heat release

max. 16-25 m²

Radiation Range

3,9 x 3,9 meter

Approx. 15 m²

Sunred Heater Barcelona Hanging 1500



Information

Code: BAR-1500H

EAN: 8719956290572

Additional info

Barcelona Hanging heater
Halogen 1500 Watt
Cable cord: 1,8 m
On/off switch: pull cord
Incl. chain

Heating Element: Halogen Technology

Dimensions: 25 x 42,5 cm dia - 2,5 kg



Halogen Technology

- Infrared short wave heating element.
- Halogen ensures that the person is heated, not the surrounding.
- The body is heated from inside out.
- Wind does not influence the heat.

3.

Element

HIGH-END

Life Expectancy

8000 H

Heat release and intensity

Wide heat release

max. 16-25 m²

Light Intensity

Bright light

Heat release and intensity

Radiation Range

3,9 x 3,9 meter

Approx. 15 m²

Sunred Heater Barcelona Hanging 1500



	Halogen Technology	
3.  Element	<ul style="list-style-type: none"> • Infrared short wave heating element. • Halogen ensures that the person is heated, not the surrounding. • The body is heated from inside out. • Wind does not influence the heat. 	HIGH-END
 Life Expectancy	8000 H	 Heat release and intensity
 Light Intensity	 Bright light	 Max heat release  max. 16-25 m ²

Information

Code:	BAR-1500T
EAN:	8719956291081
Additional info	
Barcelona Table heater Halogen 1500 Watt Cable cord: 1,8 m On/off switch: pull cord With safeguard tipover	
Heating Element:	Halogen Technology
Dimensions:	44 x 44 x 66 cm - 4,5 kg

Radiation Range

3,9 x 3,9 meter
Approx. 15 m²

Sunred Heater Barcelona Hanging 1500



Information

Code:	BAR-1500S
EAN:	8718801857458
Additional info	
Barcelona Standing heater Halogen 1500 W Cable cord: 1,8 m On/off switch: pull cord Incl. safeguard tipover	
Heating Element:	Halogen Technology
Dimensions:	44 x 44 x 200 cm - 12,2 kg



Halogen Technology

3.

- Infrared short wave heating element.
- Halogen ensures that the person is heated, not the surrounding.
- The body is heated from inside out.
- Wind does not influence the heat.

<p>Element</p>	HIGH-END		
<p>Life Expectancy</p>	8000 h	<p>Heat release and intensity</p>	<p>Wide heat release</p>
<p>Light Intensity</p>	<p>Bright light</p>	<p>max. 16-25 m²</p>	

Radiation Range
3,9 x 3,9 meter
Approx. 15 m²

Sunred Heater Elektra Standing 2000



Information

Code: SMQ2000A

EAN: 8717568082691

Additional info

Elektra standing heater
 Quartz 2000 Watt
 Settings: 650/1300/2000
 Cable cord: 1,8 m
 On/off switch: pull cord
 Incl. safeguard tipover

Heating Element: Quartz Technology

Dimensions: 50 x 50 x 180-220 cm - 9 kg



5.

Element

Life Expectancy

Light Intensity

Quartz Technology

- Infrared long wave heating element.
- Surrounding is heated.
- Wind influences the heat.
- Heat can be compared with central heating.

3000 Jc

Low glare

Heat release and intensity

ENTRY-LEVEL

Soft heat release

max. 14 m²

Radiation Range

4 x 4 meter

Approx. 16 m²

Sunred Heater Lugo Wall 2000




Information

Code:	LUG-2000W
EAN:	8719956290688

Additional info

Lugo wall heater
 Quartz 2000 Watt
 Settings: 650/1300/2000
 Cable cord: 1,8 m
 On/off switch: pull cord
 Incl. wall bracket

Heating Element:	Quartz Technology
Dimensions:	54 x 16 x 12 cm - 1,4 kg



5.

Element

Life Expectancy

Light Intensity

Quartz Technology

- Infrared long wave heating element.
- Surrounding is heated.
- Wind influences the heat.
- Heat can be compared with central heating.

3000 Jc

Low glare

Heat release and intensity



ENTRY-LEVEL

Soft heat release

max. 14 m²

Radiation Range

4 x 4 meter
 Approx. 16 m²

Sunred Heater Rana 600



Information

Code:	UTCF-600B
EAN:	8718801859124
Additional info	
Rana heater. Carbon Fibre 600 Watt Settings: 300 / 600 Watt. Cable cord: 1,8 m Automatic tip over protect. IP24 outdoor and indoor suitable. Oscillating 90 degrees	
Heating Element:	Carbon Fibre Technology
Dimensions:	50 cm high - 7,6 kg

5.

Element

Life Expectancy

Light Intensity

Quartz Technology

- Infrared long wave heating element.
- Surrounding is heated.
- Wind influences the heat.
- Heat can be compared with central heating.

ENTRY-LEVEL

3000 Jk

Soft heat release

Heat release and intensity

Low glare


max. 14 m²

Radiation Range

4 x 4 meter

Approx. 16 m²

Sunred Propus Lounge Heater Black



Information

Code: LH15B

EAN: 8718801851210

Additional info

Propus Lounge heater
Gas 11.000 Watt
Ignition: piezo
Incl. wheels, handle, hose and regulator

Heating Element: Gas

Dimensions: 135 x 46 cm dia - 11 kg

Sunred Propus Lounge Heater Grey



Information

Code: LH15G

EAN: 8718801852132

Additional info

Propus Lounge heater
Gas 11.000 Watt
Ignition: piezo
Incl. wheels, handle, hose and regulator


Heating Element: Gas

Dimensions: 135 x 46 cm dia - 11 kg



Sunred Propus Lounge Heater

Stainless steel



Information

Code: LH15S

EAN: 8718801853382

Additional info

Propus Lounge heater
Gas 11.000 Watt
Ignition: piezo
Incl. wheels, handle, hose and regulator

Heating Element: Gas

Dimensions: 135 x 46 cm dia - 11 kg



Sunred Gas Heater Grey



Information

Code:	GH12B
EAN:	8717568088884

Additional info

Sargas Gas heater
Gas 14.000 Watt
Ignition: piezo
Incl. wheels, handle, hose and regulator

Heating Element:	Gas
Dimensions:	221 x 81 cm dia - 21 kg



Sunred Gas Heater Stainless steel



Information

Code:	GH12RVS
EAN:	8717568088891

Additional info

Sargas Gas heater
Gas 14.000 Watt
Ignition: piezo
Incl. wheels, handle, hose and regulator

Heating Element:	Gas
Dimensions:	221 x 81 cm dia - 21 kg



Sunred Flame Heater Drogon Black



Information

Code: SFT15B

EAN: 8718801852248

Additional info

Flame Torch Stainless Steel
Gas 12.000 Watt
Ignition: electrical
Incl. wheels, handle, hose and regulator

Heating Element: Gas

Dimensions: 221 x 81 cm dia - 24 kg



Sunred Flame Heater Drogon

Stainless steel



Information

Code: SFT15S

EAN: 8718801852255

Additional info

Flame Torch Stainless Steel

Gas 12.000 Watt

Ignition: electrical

Incl. wheels, handle, hose and regulator

Heating Element: Gas

Dimensions: 221 x 81 cm dia - 24 kg



Sunred Atria Flame Torch Grey



Information

Code: FT17G

EAN: 8718801857243

Additional info

Atria Flame Torch
Gas 11.000 Watt
Ignition: electrical
Incl. wheels, handle, hose and regulator

Heating Element: Gas

Dimensions: 46 x 46 x 190 cm - 19 kg



Sunred Rotar Spiral Flame Torch

Grey



Information

Code: SF21G

EAN:

Additional info

Rotar Flame Torch
Gas 40.000 BTU. Incl. wheels, handle. Stainless Steel burning grid and piezo ignition.

Heating Element: Gas

Dimensions: 53 x 53 x 170 cm



Sunred Fire Table Cebu Grey



Information

Code: CEBU-SQ-G

EAN: 8719956291821

Additional info

Sunred Fire Table Cebu Grey

Gas 11.700 Watt

Ignition: electrical

Incl. Lava rocks, safety glass, hose and regulator and cover

Heating Element: Gas

Dimensions: 60 x 60 x 71,2 cm - 20 kg



Sunred Fire Table Cebu Black



Information

Code: CEBU-SQ-B

EAN: 8718801855027

Additional info

Sunred Fire Table Cebu Black

Gas 11.700 Watt

Ignition: electrical

Incl. Lava rocks, safety glass, hose and regulator
and cover

Heating Element: Gas

Dimensions: 60 x 60 x 71,2 cm - 20 kg

Sunred Fire Table Bogo Grey



Information

Code:	BOGO-20
EAN:	8719956293191

Additional info

Sunred Fire Table Bogo Black
Gas 10.500 Watt
Ignition: electrical
Incl. Lava rocks, safety glass, hose and dutch
30mbar regulator
Safety glass: 18 x 30 cm dia

Heating Element:	Gas
Dimensions:	38 x 38 x 90 cm



Sunred Fire Table Vigan



Information

Code: VIGAN

EAN: 8718801853160

Additional info

Fire Table Vigan

Gas 11.700 Watt

Ignition: electrical

Incl. Lava rocks, safety glass, hose and regulator

Heating Element: Gas

Dimensions: 50 x 50 x 94 cm - 27 kg



Example Sunred Shelf Plan



Example Sunred POS display



Sunred information board
Dimensions: 95 x 95 cm

Total loading 15 pieces
(1x demo model) RD-DARK-25



Space / area to assemble demo model

